

## FTCS-M131X-02DXX 10Gbps 220m Multi Mode Datacom SFP+ Transceiver

### Features

- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆




### Applications

- ◆
- ◆



### Product description



Absolute maximum rating

Parameters	Symbol	Min.	Max.	Unit

Rec

Parameter	Symbol	Min.	Typical	Max	Unit




## LOW Speed Characteristics

Parameter	Symbol	Min.	Typical	Max	Unit

## Electrical characteristics

Parameter	Conditions	Symbol	Min.	Typical	Max	Unit
<b>Transmitter</b>						
			/		/	/
<b>Receiver</b>						



### General Specifications

Parameter	Symbol	Min.	Typical	Max	Unit	Notes





Parameter	Symbol	Min.	Max	Unit	Notes
<b>Accuracy</b>					
<b>Dynamic Range Accuracy</b>					




Figure 2: Interface to Host PCB




Figure 3: Module Contact Assignment

### Pin definition

Pin	Symbol	Name/Description



F-tone Networks

# 北亿纤通科技有限公司

F-TONE GROUP 集团旗下

---







Figure4. Host Board Power Supply Filters Circuit




Figure5. Host-Module Interface




Figure 6. Mechanical Specifications

Regulatory Compliance

Feature	Agency	Standard



## Ordering information

Part Number	Product Description
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]

## References

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

## Important Notice

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]